# Safety Data Sheet



For Compliance with OSHA 29 CFR 1910.1200 and ANSI Z400.1-2004

1. Product and Company Identification			
Product Name	MSDS Code Number		
VELCRO® Brand Hook 066-0399			
Trade Names & Synonyms	Date of Last Revision		
Nylon, Urethane Binder Adhesive	03/01/16		
Chemical Name	Manufacturer		
Nomex, Urethane	Velcro USA Inc. <u>www.velcro.com</u>		
C.A.S. Number	Address		
N/A	95 Sundial Avenue		
	Manchester, NH 03103		
Grades or Minor Variant Identities	Information Telephone Number		
N/A	603-669-4880		
vpn – 186541, 186543	Emergency Telephone Number		
	603-669-4880		

# 2. Hazards Identification

This product is essentially non-toxic and non-allergenic in normal use. Follow procedures for good industrial hygiene. Product is unlikely to cause skin or eye irritation. Melt processing releases vapors which may cause eye, skin and respiratory tract irritation.

Routes of Exposure	Signs and Symptoms	Single, Repeated, or Lifetime Exposure	Severity (Mild, Moderate, Severe)	Acute & Chronic Health Effects	Target Organ(s)
Eye					
X (dust)	Irritation	Single	Mild	None	
Skin					
Inhalation					
Ingestion					
Other					
Medical Conditions Agg	ravated by Exposure				
None Known					
Carcinogenicity (OSHA,					
There is no c	hemical present	in this product at a co	ncentration of 0.1%	6 or more classifie	ed as a
carcinogen b	y IARC, NTP or 0	DSHA.			
Dotontial Environmental					

Potential Environmental Effects

Emergency Overview

3. Composition/Information on Ingredients				
Hazardous Components	C.A.S. Number	Exposure Limits	% by wt.	
Product does not contain any Hazardous				
Components.				
OSHA Regulatory Status	•	•		

This product is not considered to be a hazardous material according to the U.S. Occupational Safety and Health Act definitions and regulations, including the Hazard Communication Standard 29 CFR 1910.1200.

# VELCRO® Brand Hook 066-0399

	4. First A	Aid Measures	
Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Delayed Effects
Eye	Follow established first aid procedures		
Х	for flushing foreign material from eye.		
Skin X	Wash hands with soap and water.		
Inhalation	Move to fresh air and if symptoms		
X	persist, call a Physician.		
Ingestion	Follow established first aid procedures		
X	for ingestion of foreign material.		
Other			
Note to Physician (Treatment, Testing, and Monitoring)			

5. Fire Fighting Measures						
Flashpoint & Method	°F	Flammable (Explosive) Li	hits in Air (LEL & UEL) Autoignition Temp. °F		°F	Other
Flame Propage Not Tes	gation or Burning F ted	Rate (for solids)	Properties Contributing to Fire Intensity None	Flammability (	Classification	
Extinguishing Water.	Foam, CC	<sup>2</sup> . or Drv	Extinguishing Media to Avoid			Reactions to Extinguishing Media
Chem						
Protection and Procedures for Firefighters						

Fire-fighters and others who may be exposed to products of combustion should wear full protective clothing including self-contained breathing apparatus.

### Unusual Fire and Explosion Hazards

Combustible thermoplastic material: may melt and drip and produce heavy smoke. Products of combustion can include: oxides of carbon, sulfur and nitrogen; traces of hydrogen cyanide and unknown hydrocarbons.

### 6. Accidental Release Measures

Personal Precautions
Environmental Precautions
Containment Techniques
None
Spill/Leak Clean-Up Procedures and Equipment
Material is safe to handle. If processing generates fibers or dust, sweep and dispose in normal trash receptacle.
Evacuation Procedures
None
Special Instructions
None
Reporting Requirements
None

## 7. Handling and Storage

Handling Practices and Warnings This material does not require special handling.

Storage Practices and Warnings Store in cool, dry place, away from excessive heat.

## VELCRO® Brand Hook 066-0399

	8. Exposure Control/Persona	al Protection		
Ventilation	Other Engineering Controls			
None Required				
Routes of Entry	Personal Protective Equipment (PPE) for Normal Use	PPE for Emergencies		
Eye/Face				
Skin				
Inhalation				
General Hygiene Consideration and Work Practices				
Protective Measures During Repair and Maintenance of Contaminated Equipment				
Other Protective Measures and Equipment				

9. Physical and Chemical Properties				
Appearance	-		Odor	
Textile Fastener			Essentia	ally odorless
Normal Physical State	Boiling Point	Melting Point		Freezing Point
Solid	N/A	>400°F - >2	27°C	N/A
Specific Gravity or Density (H <sub>2</sub> O) = 1)	Solubility in Water		Ph	
> 1.0	Insoluble		N/A	
Vapor Pressure	Vapor Density (AIR = 1)		Evaporation R	ate (Butyl Acetate = 1)
N/A	N/A		N/A	
Other				

10. Stability	and Reactivity		
Incompatibility (Materials to Avoid)			
Strong Acids, oxidizing agents and bases.			
Hazardous Products Produced During Decomposition			
Molten vapors or fumes may cause irritation to the respiratory tract. Combustible thermoplastics material			
may melt and drip, contact with hot molten tape will cause thermal burns.			
Hazardous Polymerization	Conditions to Avoid		
May Occur 🛛 Will Not Occur	Excessive heat and ignition sources		
Stability	Conditions to Avoid		
Stable 🗌 Unstable			

 11. Toxicological Information

 Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data

Finished article not tested. See section 2 for available information on potential health effects.

 12. Ecological Information

 Toxicity, Environmental Fate, Physical/Chemical Data, or Other Supporting Environmental Hazard Statements

Finished article not tested. Please refer to section 6 for information regarding accidental releases and section 15 for regulatory reporting information.

## VELCRO® Brand Hook 066-0399

### 13. Disposal Considerations

Regulations

### Properties (Physical/Chemical) Affecting Disposal

### Treat as normal solid waste. Reuse or recycle if possible.

NOTE: State or local requirements may differ from federal regulations. Processing or using this product may make the information here inappropriate. Waste generators are responsible for waste classification, transport, and disposal.

14. Transport Information				
Regulated for Shipping?	Proper Shipping Name	Packing Group		
🗌 Yes 🖾 No				
Do changes in quantity, packaging, or	Hazard Class	Identification Number		
shipment method change product classification?				
Yes 🔀 No				
NOTE: This product is not regulated, or not dangerous, or not hazardous, or not restricted for transport by air.				

15. Regulatory Information
Federal Regulations (OSHA, TSCA, CERCLA, FIFRA, EPCRA, CAA, SWA, SDWA, CPSA, DEA, FDA/USDA, etc.)
Consumer Product Safety Act (CPSIA)
This VELCRO ® Brand product does not contain Lead.
This VELCRO ® Brand product does not contain Phthalates (DINP).
State Regulations California Prop. 65 - PVC Products contain (10 – 20%) diisononyl phthalate (DINP). CAS # 68515-48-0
International Regulations
EU Directive 2002/95/EC – Restriction of Hazardous Substances ( <b>RoHS</b> ) "banned substances" along with EU Directive 2002/96/EC – Waste from Electrical and Electronic Equipment ( <b>WEEE</b> )
VELCRO® Brand products do not exceed the amount of allowable levels concerning: Cadmium (Cd); Hexavalent Chromium (CrVI); Mercury (Hg); Lead (Pb); Polybrominated Biphenyls (PBB's) as bromide; Polybrominated Diphenyl Ethers (PBDEs) as bromide, decaBDE
Registration, Evaluation and Authorization of Chemicals (EU - REACH) & Substances of Very High
Concern (SVHC)
VELCRO ® Brand product shipped into the EU are considered "Articles". REACH Article 3(3) defines Article as: "an object which during production is given a special shape, surface or design which determines its function to a greater degree than its chemical composition".
This VELCRO® Brand Product does not contain substances on the SVHC list as of June 15, 2015.
Ozone-Depleting Substances ( <b>ODS</b> ) VELCRO® Brand products do not contain Ozone-Depleting substances nor are Ozone-Depleting Substances used in our manufacturing process. e.g. Chlorofluorocarbons (CFCs); Halons; Carbon Tetrachloride; Methyl Chloroform; Methyl Bromide; Hydro Bromofluorcarbon (HFBCs); and Hydro Chlorofluorocarbon (HCFCs)
Natural Latex
VELCRO ® Brand products do not contain natural rubber latex.

### 16. Other Information

Label Text, Hazard Rating Systems, Key Legend, or Other

The information supplied herein is presented in good faith and believed to be accurate to the best knowledge of Velcro USA Inc. However, since conditions of use are beyond our control, we make no expressed or implied warranties as to the use of this information, the fitness of this product for a particular purpose, or the merchantability of this product. This information is offered solely for your consideration and interpretation.